
CMSC 201 Spring 2019

Lab 03 – Simple Decisions

Assignment: Lab 03 – Simple Decisions

Due Date: **During discussion**, February 11th through February 14th

Value: 10 points (8 points during lab, 2 points for Pre Lab quiz)

In Lab 2, you did some basic programming and learned how to find and fix errors in Python code. This week's lab will put into practice some of the material learned in class, including expressions, user input, Python's operators, and simple decision structures.

(Having concepts explained in a new and different way can often lead to a better understanding, so make sure to pay attention.)

Part 1A: Review – Using Variables and Expressions

Using variables in Python is easy! There are just two important rules we have to remember:

1. Use meaningful variable names! For example, `numberOfBooks` is a much better variable name than `NOB` or `numb` or `x`. Something like `numBooks` would also work, if you want to keep it a bit shorter.
2. Before we can use a variable, it must be *initialized*. In other words, we have to put a value into the “box” before we can start using the variable. We do this using the *assignment operator*, the equals sign (=).

An *expression* is code that calculates or produces new data and data values. Expressions are what allow us to create interesting Python programs. The word “expression” is really just a fancy name for something that can be evaluated to a single value.

One important thing to remember is that expressions must always be on the right hand side of the assignment operator!

Part 1B: Review – User Input and Casting

User input is a way to get information from the user after you've finished writing your program. Much like expressions, user input is an important piece in creating Python programs that do interesting things.

The Python code to get input from the user will look something like this:

```
userName = input("Enter your name please: ")
```

When your program is run, this code will print out the message "Enter your name please: " to the screen. After the user puts in their answer and hits enter, the text they entered will be stored as the value of `userName`.

Even if the user enters a number, the value will be automatically stored as a string. However, we can't do addition or multiplication with a string. (Python treats integers and strings very differently!)

We can fix this by telling the program that the input should be stored as an integer. Doing this is called **casting**, a process in which Python changes a variable from one type to another. For example, if we want to convert the user's age to an integer, we could write something like this:

```
userAge = int(input("Enter your age please: "))
```

If we wanted their GPA (which would be a decimal number, which Python calls a float) we could write something like this:

```
userGPA = float(input("Enter your GPA please: "))
```

Part 1C: Review – Comparison Operators

Mastery of logic is essential to understanding **conditional statements**. It is used in pretty much any program that you will ever write. **Comparisons** are the heart of logical statements. When we write programs, we often want to compare two pieces of information, testing to see if that comparison evaluates to **True** or **False**.

We can make those comparisons using any of the following **comparison operators**, which compare two pieces of information:

- < (less than)
- > (greater than)
- <= (less than or equal to)
- >= (greater than or equal to)
- == (equivalent to)
- != (not equivalent to) *also known as “bang equals”*

For example:

```

num = 500           # set the value of num
num < 1000         # this evaluates to True
1456 >= num        # this evaluates to True
300 != 3 * 100     # this evaluates to False
"hello" == "goodbye" # this evaluates to False

```

Notice how you can mix variables and “raw” data (literals) and still make valid comparisons. Unlike the assignment operator (=), it doesn’t matter on which side of the comparison operator a variable or expression goes.

Part 1D: Review – Logical Operators

You can also combine two or more comparison statements by using:

- **and**
 - Both comparisons must be **True** for this to evaluate to **True**
- **or**
 - At least one comparison must be **True** for this to evaluate to **True**

For example:

```
num = 500
(500 <= num) and (num <= 1000)      # True
num > 487 or num <= 342             # True
num > 487 and num <= 342           # False
("hello" == "hello") and ("dog" == "cat") # False
"hello" == "hello" or "dog" == "cat" # True
```

PROTIP:

You do not have to use parentheses around a single comparison statement, but it can have the benefit of making your code clearer and easier to read.

A third logical operator available to you is called **not**. This operates on a single logical statement, “flipping” the truth value of that statement. So, a logical statement that is **True** will be flipped to **False**, and a logical statement that is **False** will be flipped to **True**.

For example:

```
isDog = True
not isDog                # False
"dog" == "cat"          # False
not ("dog" == "cat")    # True
(4 > 5)                  # False
not (4 > 5)              # True
5 > 4                    # True
not (5 > 4)              # False
```

Part 1E: Review – Decision Structures

Being able to make comparisons is only the first step. We also need a structure that can execute different code based on the value of a comparison. There are three such structures available in Python: “`if`”, “`if-else`”, and “`if-elif-else`”. These are called **decision structures**.

A basic “if” statement looks like this:

```
if age >= 65:
    print("If you are", age, "you are a senior.")
```

The `print()` statement is only executed if the value of the variable `age` is larger than or equal to 65. Whatever is “inside” the “`if`” statement (meaning it’s been indented in) will be executed only if the statement evaluates to `True`.

What if you want something different to happen if the logical statement is not `True`? To do this, just use an “else” statement right after an “if” like so:

```
if age >= 65:
    print("If you are", age, "you are a senior.")
else:
    print("If you are", age, "you are young.")
```

What if there are several exclusive logical statements you need to test? Simply use an “elif” statement combined with an “if.” (The matching “`else`” statement is optional, but can be helpful in “catching” the rest of the outcomes.)

```
if age >= 65:
    print("If you are", age, "you are a senior.")
elif age >= 45:
    print("If you are", age, "you are an adult.")
elif age >= 25:
    print("If you are", age, "you're a young adult.")
else:
    print("If you are", age, "you are young.")
```

Important: The very first logical statement that evaluates to `True` will have its associated code executed, and *everything else will be skipped over*. Also, you must have an “`if`” statement before you use any “`elif`” statements or an “`else`” statement.

Part 2: Exercises

In class, we've discussed using sequential and decision structures to control the "flow" of your code. Decision structures like `if`, `elif`, and `else` allow a Python program to execute a set of statements only if certain conditions are True (or False).

In this lab, you'll be creating two files: `major.py` and `dessert.py`, both of which will make use of comparisons and decision structures. Both files will be counted as part of the grade for Lab 3.

Tasks

- Create a `major.py` file from scratch
- Run and test your `major.py` file
- Create a `dessert.py` file from scratch
- Run and test your `dessert.py` file
- Show your work to your TA

Part 3A: Creating Your Files

First, create the `lab03` folder using the `mkdir` command -- the folder needs to be inside your `Labs` folder as well. *(If you need a reminder of how to create and navigate folders, try asking a classmate next to you for help. If you're both stuck, ask the TA or refer to the instructions for Lab 1.)*

Next, create two Python files (`major.py` and `dessert.py`) using the “touch” command in GL.

The “touch” command creates a new blank file, but doesn't open it.

Once a file has been “touched”, you can open and edit it using emacs.

```
touch major.py
touch dessert.py
emacs major.py
```

The first thing you should do with any new Python file is create and fill out the comment header block at the top of your file. Here is a template:

```
# File:          FILENAME.py
# Author:        YOUR NAME
# Date:          TODAY'S DATE
# Section:       YOUR SECTION NUMBER
# E-mail:        USERNAME@umbc.edu
# Description:   YOUR DESCRIPTION GOES HERE AND HERE
#               YOUR DESCRIPTION CONTINUED SOME MORE
```


Part 3B: Passing CMSC 201 (`major.py`)

This is the first of two programs that must be written for this lab.

This first program uses a simple `if-else` block, and compares strings for equivalence. First, the program asks the user what their major is. If the input is “CMSC” or “CMPE” exactly, it should tell the user that as that major, they’ll need to earn at least a B. Otherwise, they need at least a C.

Using a single `if-else` statement, check if the input matches “CMSC” or “CMPE” (in uppercase).

- If the input is “CMSC” or “CMPE” print:
 - You need to earn at least a B for CMSC 201 to count.
- Otherwise, print:
 - You need to earn at least a C for CMSC 201 to count.

(Python is case-sensitive, so “CMPE” is not the same as “cmpe” or “CmpE” when comparing strings.)

Hint: Don’t forget that the Boolean operators “and” and “or” exist!

Here is some sample output, with the user input in **blue**.

(Yours does not have to match this word for word, but it should be similar.)

```
bash-4.1$ python major.py
Please enter your major: CMSC
You need to earn at least a B for CMSC 201 to count.

bash-4.1$ python major.py
Please enter your major: CMPE
You need to earn at least a B for CMSC 201 to count.

bash-4.1$ python major.py
Please enter your major: MATH
You need to earn at least a C for CMSC 201 to count.

bash-4.1$ python major.py
Please enter your major: cmsc
You need to earn at least a C for CMSC 201 to count.
```

Part 3C: Ice Cream and Pie (dessert.py)

This is the second of two programs that must be written for this lab.

This second program requires the use of slightly more complex decision structures, and is used to offer responses about different desserts.

The program should first ask the user their favorite dessert. If they enter “pie”, the program should ask their favorite flavor; if they enter “ice cream”, the program should ask how many scoops they get.

Using decision structures, have your program execute certain print statements following these rules:

- If they enter that they like pie
 - Ask what their favorite flavor is
 - If their favorite flavor is not “apple” or “sweet potato”, print “FLAVOR is a really interesting flavor...”
 - Otherwise, print “That is the correct answer!”

- If they enter that they like ice cream
 - Ask how many scoops they get
 - If they get 3 or more, print “That's quite a lot of ice cream!”
 - If they get 1 or 2, print “That's a normal amount of ice cream.”
 - If they get 0 or less, print, "Add a few more scoops!”

- If they enter anything else, print “Sounds yummy!”

(See the next page for sample output.)

Here is some sample output for `dessert.py`, with the user input in **blue**.
(Yours does not have to match this word for word, but it should be similar.)

```
linux2[23]% python3 dessert.py
What is your favorite dessert? ice cream
How many scoops do you usually get? 1
That's a normal amount of ice cream.

linux2[24]% python3 dessert.py
What is your favorite dessert? ice cream
How many scoops do you usually get? -37
Add a few more scoops!

linux2[25]% python3 dessert.py
What is your favorite dessert? ice cream
How many scoops do you usually get? 3
That's quite a lot of ice cream!

linux2[26]% python3 dessert.py
What is your favorite dessert? pie
What is your favorite flavor? chocolate pecan pie
chocolate pecan pie is a really interesting flavor...

linux2[27]% python3 dessert.py
What is your favorite dessert? pie
What is your favorite flavor? sweet potato
That is the correct answer!

linux2[28]% python3 dessert.py
What is your favorite dessert? PIE
Sounds yummy!

linux2[29]% python3 dessert.py
What is your favorite dessert? pie
What is your favorite flavor? Apple
Apple is a really interesting flavor...
```

Part 4: Completing Your Lab

Since this is an in-person lab, you do not need to use the `submit` command to complete your lab. Instead, raise your hand to let your TA know that you are finished.

They will come over and check your work – they may ask you to run your program for them, and they may also want to see your code. Once they’ve checked your work, they’ll give you a score for the lab, and you are free to leave.

Tasks

As a reminder, here are the tasks again:

- Create a `major.py` file from scratch
- Run and test your `major.py` file
 - If the user enters “CMSC” or “CMPE”, they need a B; otherwise, a C
- Create a `dessert.py` file from scratch
- Run and test your `dessert.py` file
 - Print out responses based on the user’s favorite type of dessert
- Show your work to your TA

IMPORTANT: If you leave the lab without the TA checking your work, you will receive a **zero** for this week’s lab. Make sure you have been given a grade before you leave!