


Artificial Intelligence

Class 2: Intelligent Agents



Dr. Cynthia Matuszek – CMSC 671

Bookkeeping

- Due last night:
 - Read academic integrity } If you haven't done these, do!
 - Introduction survey
- HW 1
 - **Writing:** 2 readings, 1 short (1-2pg) essay, 6 questions
 - <http://tiny.cc/mc-what-is-ai>
 - <http://ai100.stanford.edu/2016-report>
 - **Coding:** see Schedule
- Due **11:59pm, 9/18**



2

Today's Class

- What's an agent?
 - Definition of an agent
 - Rationality and autonomy
 - Types of agents
 - Properties of environments

3

Pre-Reading: Quiz

- What are sensors and percepts?
 
- What are actuators (aka effectors) and actions?
 
- What are the six environment characteristics that R&N use to characterize different problem spaces?

Observable	Deterministic	Static
# of Agents	Episodic	Discrete

4


What is an Agent?

- An **intelligent** agent is:
 - A (usually) autonomous entity which...
 - Observes an environment (the world)
 - Acts on its environment in order to achieve goals } Shows "agency"
- An intelligent agent **may** learn
 - Not always
 - A simple "reflex agent" still counts as an agent
- Behaves in a **rational** manner
 - Not "optimal"

5

How Do You Design an Agent?

- An **intelligent** agent:
 - Perceives its environment via **sensors**
 - Acts upon that environment with its **actuators** (or **effectors**)
- Properties:
 - **Autonomous**
 - **Reactive** to the environment
 - **Pro-active** (goal-directed)
 - **Interacts** with other agents via the environment



6

Human Sensors/Percepts, Actuators/Actions

- **Sensors:**
 - Eyes (vision), ears (hearing), skin (touch), tongue (gustation), nose (olfaction), neuromuscular system (proprioception), ...
- **Percepts:** “that which is perceived”
 - At the lowest level – electrical signals from these sensors
 - After preprocessing – objects in the visual field (location, textures, colors, ...), auditory streams (pitch, loudness, direction), ...
- **Actuators/effectors:**
 - Limbs, digits, eyes, tongue, ...
- **Actions:**
 - Lift a finger, turn left, walk, run, carry an object, ...

7

Human Sensors/Percepts, Actuators/Actions

- **Sensors:**
 - Eyes (vision), ears (hearing), skin (touch), tongue (gustation), nose (olfaction), neuromuscular system (proprioception), ...
- **Percepts:** “that which is perceived”
 - At the lowest level – electrical signals from these sensors
 - After preprocessing – objects in the visual field (location, textures, colors, ...), auditory streams (pitch, loudness, direction), ...
- **Actuators/effectors:**
 - Limbs, digits, eyes, tongue, ...
- **Actions:**
 - Lift a finger, turn left, walk, run, carry an object, ...

The Point:

- Percepts and actions need to be *carefully defined*
- Sometimes at different levels of abstraction!

8

E.g.: Automated Taxi

- **Percepts:** Video, sonar, speedometer, odometer, engine sensors, keyboard input, microphone, GPS, ...
- **Actions:** Turn, accelerate, brake, speak, display, ...
- **Goals:** Maintain safety, reach destination, maximize profits (fuel, tire wear), obey laws, provide passenger comfort, ...
- **Environment:** U.S. urban streets, freeways, traffic, pedestrians, weather, customers, ...

Different aspects of driving may require different types of agent programs.

9

Rationality

- An ideal **rational agent**, in every possible world state, does action(s) that **maximize its expected performance**
- Based on:
 - The percept sequence (world state)
 - Its knowledge (built-in and acquired)
- Rationality includes information gathering
 - If you don't know something, find out!
 - No “rational ignorance”
- Need a **performance measure**
 - False alarm (false positive) and false dismissal (false negative) rates, speed, resources required, effect on environment, constraints met, user satisfaction, ...

10

Autonomy

- An autonomous system is one that:
 - **Determines its own behavior**
 - Not all its decisions are included in its design
- It is not autonomous if all decisions are made by its designer according to *a priori* decisions
- “Good” autonomous agents need:
 - Enough built-in knowledge to survive
 - The ability to learn
- In practice this can be a bit slippery

11

Some Types of Agent

1. **Table-driven agents**
 - Use a percept sequence/action table to find the next action
 - Implemented by a (large) **lookup table**
2. **Simple reflex agents**
 - Based on **condition-action rules**
 - Implemented with a **production system**
 - Stateless devices which do not have memory of past world states
3. **Agents with memory**
 - Have **internal state**
 - Used to keep track of past states of the world

12

Some Types of Agent

4. Agents with goals

- Have internal state information, *plus...*
- **Goal information** about desirable situations
- Agents of this kind can **take future events** into consideration

5. Utility-based agents

- Base their decisions on classic **axiomatic utility theory**
- In order to **act rationally**

13

(1) Table-Driven Agents

- Table lookup of:
 - Percept-action pairs mapping
 - Every possible perceived state \leftrightarrow optimal action for that state
- Problems:
 - **Too big** to generate and store
 - Chess has about 10^{120} states, for example
 - Don't know **non-perceptual** parts of state
 - E.g., background knowledge
 - Not **adaptive to changes** in the environment
 - Must update entire table
 - **No looping**
 - Can't condition actions on previous actions/states



www.guru.com/How-do-you-know-if-your-chess-pieces-are-in-strategic-positions

(2) Simple Reflex Agents

• Rule-based reasoning

- To map from percepts to optimal action
- Each rule handles a **collection of perceived states**
 - "If your rook is threatened..."




• Problems

- Still usually too big to generate and to store
- Still no knowledge of non-perceptual parts of state
- Still not adaptive to changes in the environment
 - Change by updating collection of rules
- Actions still not conditional on previous state

15

(1) Table-Driven/Reflex Agent




(3) Agents With Memory

- Encode "internal state" of the world
 - Used to remember the past (earlier percepts)
- Why?
 - Sensors rarely give the whole state of the world at each input
 - So, must build up environment model over time
 - "State" is used to encode different "world states"
 - Different worlds generate the same (immediate) percepts
- Requires ability to represent **change** in the world
 - Could represent just the latest state
 - But then can't reason about hypothetical courses of action

17

(3) Architecture for an Agent with Memory



18

Sidebar: Brooks' Subsumption Architecture

- Main idea: build complex, intelligent robots by:
 - Decomposing behaviors into a hierarchy of skills
 - Each skill completely defines a percept-action cycle for a specific task
- Example skills:
 - Avoiding physical contact
 - Wandering/exploring
 - Recognizing doorways
- Behavior is modeled by a finite-state machine with a few states
 - Each state may correspond to a complex function or module
- Behaviors are loosely coupled, asynchronous interactions


19

(4) Goal-Based Agents

- Choose actions that achieve a goal
 - Which may be given, or computed by the agent
- A goal is a **description of a desirable state**
 - Need goals to decide what situations are "good"
 - Keeping track of the current state is often not enough
- Deliberative instead of reactive
 - Must consider sequences of actions to get to goal
 - Involves thinking about the future
 - "What will happen if I do...?"

20

(4) Architecture for Goal-Based Agent




21

(5) Utility-Based Agents

- How to choose from multiple alternatives?
 - What action is best?
- What state is best?
 - Goals → crude distinction between "happy" / "unhappy" states
 - Often need a more general performance measure (how "happy"?)
- Utility function gives success or happiness at a given state
- Can compare choice between:
 - Conflicting goals
 - Likelihood of success
 - Importance of goal (if achievement is uncertain)

22

(4) Architecture for a complete utility-based agent



23

Properties of Environments

These should be familiar!

- **Fully observable/Partially observable**
 - If an agent's sensors give it access to the **complete state of the environment**, the environment is **fully observable**
 - Such environments are convenient
 - No need to keep track of the changes in the environment
 - No need to guess or reason about non-observed things
 - Such environments are also rare in practice



Properties of Environments

- **Deterministic/Stochastic.**
 - An environment is **deterministic** if:
 - The next state of the environment is completely determined by
 - The current state of the environment
 - The action of the agent
 - In a **stochastic** environment, there are multiple, unpredictable outcomes.
- In a fully observable, deterministic environment, the agent has no *uncertainty*.

25

Properties of Environments

- **Episodic/Sequential.**
 - **Episodic:** subsequent episodes do not depend on what actions occurred in previous episodes.
 - **Sequential** environment: Agent engages in a series of connected episodes.
 - Such environments do not require the agent to plan ahead.
- **Static/Dynamic**
 - A static environment does not change while the agent is thinking.
 - The passage of time as an agent deliberates is irrelevant.
 - The agent doesn't need to observe the world during deliberation.

26

Properties of Environments III

- **Discrete/Continuous**
 - If the number of distinct percepts and actions is limited, the environment is **discrete**, otherwise it is **continuous**.
 - A discrete agent:
 - Receives **percepts** describing the world one at a time
 - Maps this percept sequence to a sequence of discrete **actions**
- **Single agent/Multi-agent**
 - Whether the environment contains other intelligent agents.
 - In multi-agent environments, there are game-theoretic concerns (for either cooperative *or* competitive agents)
 - Single-agent environments are still more common.
 - Social and economic systems get complexity from agent interactions.

27

Characteristics of Environments

	Fully observable?	Deterministic?	Episodic?	Static?	Discrete?	Single agent?
Solitaire						
Backgammon						
Taxi driving						
Internet shopping						
Medical diagnosis						

28

Characteristics of Environments

	Fully observable?	Deterministic?	Episodic?	Static?	Discrete?	Single agent?
Solitaire	No	Yes	Yes	Yes	Yes	Yes
Backgammon						
Taxi driving						
Internet shopping						
Medical diagnosis						

29

Characteristics of Environments

	Fully observable?	Deterministic?	Episodic?	Static?	Discrete?	Single agent?
Solitaire	No	Yes	Yes	Yes	Yes	Yes
Backgammon	Yes	No	No	Yes	Yes	No
Taxi driving						
Internet shopping						
Medical diagnosis						

30

Characteristics of Environments

	Fully observable?	Deterministic?	Episodic?	Static?	Discrete?	Single agent?
Solitaire	No	Yes	Yes	Yes	Yes	Yes
Backgammon	Yes	No	No	Yes	Yes	No
Taxi driving	No	No	No	No	No	No
Internet shopping						
Medical diagnosis						

31

Characteristics of Environments

	Fully observable?	Deterministic?	Episodic?	Static?	Discrete?	Single agent?
Solitaire	No	Yes	Yes	Yes	Yes	Yes
Backgammon	Yes	No	No	Yes	Yes	No
Taxi driving	No	No	No	No	No	No
Internet shopping	No	No	No	No	Yes	No
Medical diagnosis						

32

Characteristics of Environments

	Fully observable?	Deterministic?	Episodic?	Static?	Discrete?	Single agent?
Solitaire	No	Yes	Yes	Yes	Yes	Yes
Backgammon	Yes	No	No	Yes	Yes	No
Taxi driving	No	No	No	No	No	No
Internet shopping	No	No	No	No	Yes	No
Medical diagnosis	No	No	No	No	No	Yes

33

Characteristics of Environments

	Fully observable?	Deterministic?	Episodic?	Static?	Discrete?	Single agent?
Solitaire	No	Yes	Yes	Yes	Yes	Yes
Backgammon	Yes	No	No	Yes	Yes	No
Taxi driving	No	No	No	No	No	No
Internet shopping	No	No	No	No	Yes	No
Medical diagnosis	No	No	No	No	No	Yes

→ Lots of (most?) real-world domains fall into the hardest case! ←

34

Summary: Agents

- An **agent**:
 - Perceives and acts in an environment
 - Has an architecture
 - Is implemented by an agent program(s)
- An **ideal agent**:
 - Always chooses the “right” action
 - Which is, that which maximizes its expected performance
 - Given its percept sequence so far!
- An **autonomous agent**:
 - Uses its *own experience* to learn and make decisions
 - Not built-in knowledge, i.e., *a priori* world knowledge by the designer

35

Summary: Agents

- **Representing knowledge** is important for successful agent design
 - Percepts, actions and their effects, constraints, ...
- The most challenging environments are:
 - Partially observable
 - Stochastic
 - Sequential
 - Dynamic
 - Continuous
 - Contain multiple intelligent agents

36