


Triangle Mesh

Readings: Chapter 12
(12.1)

Why mesh?




Numerical simulation of flapping wings
Persson, Willis, & Peraire 2011



ETH

Why mesh?



Notation

- $N_t = \#$ triangles; $N_v = \#$ of vertices; $N_e = \#$ of edges
- Euler: $N_v - N_e + N_t = 2$ for a simple closed surface

Representations for triangle meshes

Objectives


- Compactness
- Efficiency for rendering
- Efficiency of queries
 - All vertices of a triangle
 - All triangles around a vertex
 - Neighboring triangles of a triangle
 - Applications:
 - Finding triangle strips; computing subdivision surfaces; Mesh editing

Methods

- Separate triangles
- Indexed triangle set
 - Shared vertices
- Triangle strips and triangle fans
 - Compression schemes for transmission to hardware
- Triangle-neighbor data structure
 - Supports adjacency queries
- Winged-edge data structure
 - Supports general polygon meshes


Separate triangles

- Array of triples of points
 - Float [Nt][3][3]: about 72 bytes per vertex
 - 2 triangles per vertex (on average)
 - 3 vertices per triangle
 - 3 coordinates per vertex
 - 4 bytes per coordinate (float)



- Any problems?

Separate triangles



What is the representation?


Indexed triangle set

- Store each vertex once
- Each triangle points to its three vertices


```
Triangle {
  Vertex ver[3];
}
```

```
Vertex{
  float pos[3]; // or other data
}
```

```
Mesh {
  float verts[nv][3];
  int tind[nt][3];
}
```




Indexed triangle set




What is the representation?

Triangle strips

- Take advantage of the mesh property
 - Each triangle is usually adjacent to the previous
 - Let every vertex create a triangle by reusing the second and third vertices of the previous triangle
 - Every sequence of three vertices produces a triangle
 - E.g., 0, 1, 2, 3, 4, 5, 6, 7, .. Leads to (0 1 2), (2 1 3), (2 3 4), (4 3 5), (4 5 6), (6 5 7)




Triangle strips



What is the representation?
P4, p0 p1

Triangle fans


- Same idea as triangle strips, but keep oldest rather than newest
 - Every sequence of three vertices produces a triangle
 - E.g., 0, 1, 2, 3, 4, 5, .. Lead to
 - (0 1 2), (0 2 3), (0 3 4), (0 4 5)




Data structures for mesh connectivity and Triangle neighbor structure

Why data structures?

- Given a triangle, what are the three adjacent triangles?
- Given an edge, which two triangles share it?
- Given a vertex, which faces share it?
- Given a vertex, which edges share it?



Triangle-neighbor data structure to traverse a mesh



(See lecture notes)